






INDOOR BROCHURE HOLDER











Industrial grade IPS technology accurately displays image quality and colour depth with no fall-off in colour accuracy.



The 4K Ultra HD display delivers incredible image quality with four times resolution higher than Full HD.



These displays provide fantastic image quality with a remarkable viewing angle of 178° in both landscape and portrait.

4. SCROLLING TEXT



You can display a "ticker tapy" style scrolling text message along the bottom of the screen.

5. WIRELESS M-PHONE SHARING



Support mobile phone (Android/ios) wireless projection

6.POWER TIMER



The screen can be set to automatic daily or weekly timing switches on and off.





 $10w \ 8\Omega \times 2$ Integrated speakers


Integrated with two stereo speakers for audio element requirement.

8.FREE SCHEDULING SOFTWARE



Playlist can be scheduled for displaying different content at different times of the day.

9.SMART SPLIT SCREEN PLAYBACK



Multiple split screen modes, can play videos and pictures, scrolling subtitles, can be played synchronously, any choice

10. 24/7 USAGE




The industrial grade panels are able to be in constant use 24/7 for over 60,000 hours.

11.ANDROID OR WINDOWS OS



Built-in Android 7.1 operating system and Windows 10 operating system options. You car also use your media player if required.

12.NETWORK REMOTE CONTROL




LAN, Wi-Fi, 4G network connection are available. The playlist can be remotely updated over the internet.















HONOR

AUDITED SUPPLIER











PATENT























SIZE









OTHER AVAILABLE SIZES: 27" 32" 43"

CONTENT MANAGEMENT DEVICE MANAGEMENT REMOTE CONTROL









- 1 CARTON BOX
- **2** WOODEN CASE





1FLIGHT CASE




SPECIFICATION

| ITEM | DETAILS | TECHNICAL PARAMETERS | | | |
|-------------------|-----------------------|--|--------------|-------------|--|
| Hardware data | Size | 27inch | 32inch | 43inch | |
| | | 597.888*336.312 | 698.4*392.85 | 941.1*529.4 | |
| | Resolution | 1920x1080 / 3840x2160 | | | |
| | Brightness | $350 \text{ cd/m}^2 / 500 \text{ cd/m}^2 / 700 \text{ cd/m}^2 / 1000 \text{ cd/m}^2$ | | | |
| | Viewing angle | 178° (H) / 178° (V) | | | |
| | Contrast ratio | 1400:1 | | | |
| | Shell material | aluminum profile, metal plate, tempered safety glass | | | |
| | Spearker | 2X8Ω5W | | | |
| Power supply | Switch power | 110-240VAC@ 50/60Hz | | | |
| Power consumption | Max Power consumption | 35W | 40W | 55W | |

| Motherboard CPU Operating System Graphics Android version Android System Androi | ITEM | DETAILS | TECHNICAL PARAMETERS |
|---|------------------|--------------------|--|
| Operating System Graphics Memory Storage RJ45 LAN interface Audio support Output interface CPU Operating System Android version Windows version Operating System Android 5.1/7.1 Integrated GPU ARM Mali-T764 / Quad core Arm mali-T860Mp4 Addio support L16G RJ45 LAN interface USB 4 USB 2.0 / 2 USB 3.0 4 USB 2.0 / 2 USB 3.0 Content management system Intergrated Output interface HDMI *1 Android version Addio support Integrated Output interface HDMI *1 Android version Figure Software Addio Support Intel i5 ≥6th generation(i3 & i7 for option) Windows 10 Pro Graphics Memory AG RAM Storage RJ45 LAN interface USB Player Software To be specified by the client | | Motherboard | |
| Operating System Graphics Memory Storage RJ45 LAN interface Audio support Output interface CPU Operating System Android version Windows version Operating System Android 5.1/7.1 Integrated GPU ARM Mali-T764 / Quad core Arm mali-T860Mp4 Addio support L16G RJ45 LAN interface USB 4 USB 2.0 / 2 USB 3.0 4 USB 2.0 / 2 USB 3.0 Content management system Intergrated Output interface HDMI *1 Android version Addio support Integrated Output interface HDMI *1 Android version Figure Software Addio Support Intel i5 ≥6th generation(i3 & i7 for option) Windows 10 Pro Graphics Memory AG RAM Storage RJ45 LAN interface USB Player Software To be specified by the client | | CPU | Cores:4; Basic frequency:1.8 GHz ,Cortex A17 / Dual Cortex-A72 big core+quad Cortex-A53 small core 64-bit CPU |
| Memory 2G Storage 16G RJ45 LAN interface 100M/1000M USB 4 USB 2.0 / 2 USB 3.0 Player Software content management system Audio support Intergrated Output interface HDMI *1 Motherboard H110 CPU Intel i5 ≥6th generation(i3 & i7 for option) Operating System Windows 10 Pro Graphics Intel HD Graphics Memory 4G RAM Storage 120G SSD RJ45 LAN interface 100M/1000M USB USB*1, SD card*1 Player Software To be specified by the client | | Operating System | |
| Android version Storage RJ45 LAN interface USB 4 USB 2.0 / 2 USB 3.0 Player Software Audio support Output interface Motherboard CPU Intel i5 ≥6th generation(i3 & i7 for option) Operating System Graphics Memory Storage RJ45 LAN interface 100M/1000M Windows version USB USB*1, SD card*1 Player Software Possible 100M/1000M USB USB*1, SD card*1 To be specified by the client | | Graphics | Integrated GPU ARM Mali-T764 / Quad core Arm mali-T860Mp4 |
| RJ45 LAN interface USB 4 USB 2.0 / 2 USB 3.0 Player Software Audio support Output interface Motherboard CPU Intel i5 ≥6th generation(i3 & i7 for option) Operating System Graphics Memory Storage RJ45 LAN interface 100M/1000M Windows version Windows version Windows version Windows version Windows version USB USB*1, SD card*1 Player Software To be specified by the client | | Memory | 2G |
| USB 4 USB 2.0 / 2 USB 3.0 Player Software content management system Audio support Intergrated Output interface HDMI *1 Motherboard H110 CPU Intel i5 ≥6th generation(i3 & i7 for option) Operating System Windows 10 Pro Graphics Intel HD Graphics Memory 4G RAM Storage 120G SSD RJ45 LAN interface 100M/1000M USB USB*1, SD card*1 Player Software To be specified by the client | Android version | Storage | 16G |
| Player Software Audio support Output interface Motherboard CPU Intel i5 ≥6th generation(i3 & i7 for option) Operating System Windows 10 Pro Graphics Memory 4G RAM Storage RJ45 LAN interface USB Player Software Content management system Intel graphics HDMI*1 H110 CPU Intel i5 ≥6th generation(i3 & i7 for option) Windows 10 Pro Graphics Intel HD Graphics HAG RAM USB SSD USB*1, SD card*1 To be specified by the client | | RJ45 LAN interface | 100M/1000M |
| Audio support Output interface HDMI *1 Motherboard CPU Intel i5 ≥6th generation(i3 & i7 for option) Operating System Graphics Memory Memory Storage RJ45 LAN interface USB Player Software Intel HD Graphics 120G SSD 120G SSD USB*1, SD card*1 To be specified by the client | | USB | 4 USB 2.0 / 2 USB 3.0 |
| Output interface HDMI *1 Motherboard H110 CPU Intel i5 ≥6th generation(i3 & i7 for option) Operating System Windows 10 Pro Graphics Intel HD Graphics Memory 4G RAM Storage 120G SSD RJ45 LAN interface 100M/1000M USB USB*1, SD card*1 Player Software To be specified by the client | | Player Software | content management system |
| Motherboard CPU Intel i5 ≥6th generation(i3 & i7 for option) Operating System Graphics Memory Windows version Windows version Windows version Windows version Windows version Windows version Windows version Windows version USB USB*1, SD card*1 Player Software To be specified by the client | | Audio support | Intergrated |
| CPU Intel i5 ≥6th generation(i3 & i7 for option) Operating System Windows 10 Pro Graphics Intel HD Graphics Memory 4G RAM Storage 120G SSD RJ45 LAN interface 100M/1000M USB USB*1, SD card*1 Player Software To be specified by the client | | Output interface | HDMI *1 |
| Operating System Windows 10 Pro Graphics Intel HD Graphics Memory 4G RAM Storage 120G SSD RJ45 LAN interface 100M/1000M USB USB*1, SD card*1 Player Software To be specified by the client | | Motherboard | H110 |
| Graphics Intel HD Graphics Memory 4G RAM Storage 120G SSD RJ45 LAN interface 100M/1000M USB USB*1, SD card*1 Player Software To be specified by the client | | | Intel i5 ≥6th generation(i3 & i7 for option) |
| Memory4G RAMWindows versionStorage120G SSDRJ45 LAN interface100M/1000MUSBUSB*1, SD card*1Player SoftwareTo be specified by the client | | Operating System | Windows 10 Pro |
| Windows version Storage RJ45 LAN interface USB USB*1, SD card*1 Player Software To be specified by the client | | Graphics | Intel HD Graphics |
| RJ45 LAN interface 100M/1000M USB USB*1, SD card*1 Player Software To be specified by the client | | Memory | 4G RAM |
| RJ45 LAN interface 100M/1000M USB USB*1, SD card*1 Player Software To be specified by the client | Windows version | Storage | 120G SSD |
| Player Software To be specified by the client | Timacità version | RJ45 LAN interface | 100M/1000M |
| 1 2 | | USB | USB*1, SD card*1 |
| A 12 | | Player Software | To be specified by the client |
| Audio support Intergrated | | Audio support | Intergrated |
| Output interface HDMI*1, VGA*1 | | Output interface | HDMI*1, VGA*1 |

| ITEM | DETAILS | TECHNICAL PARAMETERS |
|----------------------------|--------------------------|--|
| | Motherboard | SX-260 |
| | CPU | HD video decoding chip |
| | Operating System | uCOS |
| | Memory | DDR 128MB |
| Standalone | Storage | NAND Flash 16G |
| version | Video format | MPEG1, MPEG2, MPEG4, H264, WMV |
| | USB | USB*1, SD card*1 |
| | Input interface | HDMI*1,USB*1 |
| 200.0 | USB | none |
| Driver board version | Audio support | PC audio, earphone input |
| board version | input interface | HDMI*1,VGA*1,DVI*1 / HDMI*1,DVI*1,VGA*1,DP*1 |
| | Operating temperature | 0°C ∼ +40°C |
| Application Environment | Storage temperature | -20°C ∼ +60°C |
| Environment | Humidity | 10-80% RH Non-condensing |
| | WiFi access point | Yes |
| Options | Cellular router | 3G or 4G |
| Options | Touchscreen | capacitive touch |
| | LED backlit company logo | Yes |
| | | |







REMOTE TECHNICAL SUPPORT

