




INDOOR DUAL SIDED KIOSK







ORIGINAL LG PANEL

•TEMPERED SAFETY GLASS

 INTEGRATED ANDROID OR WINDOWS MEDIA **PLAYER**

STEADY BASE







Split Screen











WIFI









Anti-theft Lock


ARD

Miracast

Heat Dissipation

Multi-signal Remote Monitoring






Industrial grade IPS technology accurately displays image quality and colour depth with no fall-off in colour accuracy.



The 4K Ultra HD display delivers incredible image quality with four times resolution higher than Full HD.




These displays provide fantastic image quality with a remarkable viewing angle of 178° in both landscape and portrait.

4. SCROLLING TEXT



You can display a "ticker tapy" style scrolling text message along the bottom of the screen.

5. SURFACE PLASMA TREATMENT



The oleophobic coating makes the glass front more resistance to oil and water residue left by fingerprint marks and makes touch gestures smoother.

6. 10 POINT PCAP / IR TOUCH



Manipulate images, zoom in an out as well as perform many other touch gestures; Multiple users interacting with the screen at one time.






 $5w 8\Omega \times 2$ Integrated speakers

Integrated with two stereo speakers for audio element requirement.

8.FREE SCHEDULING SOFTWARE



Playlist can be scheduled for displaying different content at different times of the day.

9.POWER TIMER



The screen can be set to automatic daily or weekly timing switches on and off.

10. 24/7 USAGE



The industrial grade panels are able to be in constant use 24/7 for over 60,000 hours.

11.ANDROID OR WINDOWS OS



Built-in Android 7.1 operating system and Windows 10 operating system options. You can also use your media player if required.

12.NETWORK REMOTE CONTROL



LAN, Wi-Fi, 4G network connection are available. The playlist can be remotely updated over the internet.
















PRODUCT SIZE

SIZE REFERENCE: **55 INCH**







OTHER AVAILABLE SIZES: 43" 49" 55" 65" 75"

CONTENT MANAGEMENT DEVICE MANAGEMENT REMOTE CONTROL



DESIGN COMPARISON





- ▷ A door can be opened
- > The screens are fixed
- > Front and back is glass, the side is round arc aluminum profile
- > Trapezoidal base

—DF1900—



- > A door can be opened
- > The screens are fixed
- ➤ The whole is made of steel plate and glass only in the screen area

—DF2020—




- ➤ Two screens can be moved and adjusted for easy maintenance
- ▶ Front and back is glass, the side is flat aluminum profile



HONOR

AUDITED SUPPLIER











PATENT



























- 1 CARTON BOX
- **2** WOODEN CASE





1FLIGHT CASE




SPECIFICATIONS

ITEM	DETAILS	TECHNICAL PARAMETERS				
	Size	49inch	55inch	65inch	75inch	
	Display area (mm)	1084.8x610.2	1209.6x680.4	1428.48×803.52	1649.66×927.94	
	Resolution	1920x1080 / 3840x2160				
	Brightness		$350 \text{ cd/m}^2 / 500 \text{ cd/m}^2 / 700 \text{ cd/m}^2 / 1000 \text{ cd/m}^2$			
	Viewing angle	178° (H) / 178° (V)				
Hardware data	Contrast ratio	1400:1				
	Shell material	aluminum profile,metal plate,tempered safety glass				
	Spearker	2X8Ω5W				
Power supply	Switch power	110-240VAC@ 50/60Hz				
Power consumption	Max Power consumption	60W	80W	100W	200W	

ITEM	DETAILS	TECHNICAL PARAMETERS
	Motherboard	RK3288/ RK 3399
	CPU	Cores:4; Basic frequency:1.8 GHz ,Cortex A17 / Dual Cortex-A72 big core+quad Cortex-A53 small core 64-bit CPU
	Operating System	Android 5.1/ 7.1
	Graphics	Integrated GPU ARM Mali-T764 / Quad core Arm mali-T860Mp4
	Memory	2G
Android version	Storage	16G
	RJ45 LAN interface	100M/1000M
	USB	4 USB 2.0 / 2 USB 3.0
	Player Software	content management system
	Audio support	Intergrated
	Output interface	HDMI *1
	Motherboard	H310
	CPU	Intel i5 ≥6th generation(i3 & i7 for option)
	Operating System	Windows 10 Pro
	Graphics	Intel HD Graphics
	Memory	4G RAM
Windows version	Storage	120G SSD
Williadws Version	RJ45 LAN interface	100M/1000M
	USB	USB*1, SD card*1
	Player Software	To be specified by the client
	Audio support	Intergrated
	Output interface	HDMI*1, VGA*1

ITEM	DETAILS	TECHNICAL PARAMETERS
	Motherboard	SX-260
	CPU	HD video decoding chip
	Operating System	uCOS
	Memory	DDR 128MB
Standalone	Storage	NAND Flash 16G
version	Video format	MPEG1, MPEG2, MPEG4, H264, WMV
	USB	USB*1, SD card*1
	Input interface	HDMI*1,USB*1
	USB	none
Driver board version	Audio support	PC audio, earphone input
Doard Version	input interface	HDMI*1,VGA*1,DVI*1 / HDMI*1,DVI*1,VGA*1,DP*1
	Operating temperature	0°C ∼ +40°C
Application	Storage temperature	-20°C ∼ +60°C
Environment	Humidity	10-80% RH Non-condensing
	WiFi access point	Yes
Options	Cellular router	3G or 4G
Options	Touchscreen	capacitive touch
	LED backlit company logo	Yes







REMOTE TECHNICAL SUPPORT



IMPORTANT ACTIVITIES



FREE TECHNICAL TRAINNING



REGULARLY

