





EASY TO MOVE

BATTERY-POWERED









INDUSTRIAL CASTERS



Split Screen











WIFI









Anti-theft Lock Miracast

et

Heat Dissipation

Multi-signal

Remote Monitoring


Customized



Industrial grade IPS technology accurately displays image quality and colour depth with no fall-off in colour accuracy.



The pixel density or quantity of in each inch of this 4k new format the greater the pixel density is, the bigger the image's detail will be. Can bring the user more lifelike visual experience.



These displays provide fantastic image quality with a remarkable viewing angle of 178° in both landscape and portrait.

4. SCROLLING TEXT



You can display a "ticker tapy" style scrolling text message along the bottom of the screen.

5.BUILD-IN REPLACEABLE LITHIUM BATTERY



NO WIRING, Battery play time 10 Hours

6. 10 POINT PCAP / IR TOUCH



Manipulate images, zoom in an out as well as perform many other touch gestures; Multiple users interacting with the screen at one time.








Integrated with two stereo speakers for audio element requirement.

8.FREE SCHEDULING SOFTWARE



Playlist can be scheduled for displaying different content at different times of the day.

9.POWER TIMER



The screen can be set to automatic daily or weekly timing switches on and off.

10. 24/7 USAGE



The industrial grade panels are able to be in constant use 24/7 for over 60,000 hours.

11.ANDROID OR WINDOWS OS



Built-in Android 7.1 operating system and Windows 10 operating system options. You can also use your media player if required.

12.NETWORK REMOTE CONTROL




LAN, Wi-Fi, 4G network connection are available. The playlist can be remotely updated over the internet.

APPLICATION












HONOR

AUDITED SUPPLIER











PATENT
























SIZE 43"







OTHER AVAILABLE SIZES: 32" 43" 49" 55"

CONTENT MANAGEMENT DEVICE MANAGEMENT REMOTE CONTROL









- 1 CARTON BOX
- **2** WOODEN CASE





1FLIGHT CASE




SPECIFICATION

ITEM	DETAILS	TECHNICAL PARAMETERS		
	Size	32inch	43inch	49inch
	Display area (mm)	698.4*392.85	941.1*529.4	1073.8*604
	Referent dimension(H*W*T mm)		1321*615*69	
	Resolution		1920*1080 / 3840*2160	
	Brightness		350 cd/m² / 500 cd/m² / 700 cd/m² / 1000 cd/m²	
Hardware data	Viewing angle	178° (H) / 178° (V)		
	Contrast ratio		1400:1	
	Shell material	aluminum profile, metal plate, tempered safety glass		
	Spearker		2*8Ω5W	
Power supply	Switch power	110-240VAC@ 50/60Hz		
Power consumption	Max Power consumption	40W	55W	60W

HEM	DETAILS	TECHNICAL PARAMETERS
	Motherboard	RK3288/ RK 3399
	CPU	Cores:4; Basic frequency:1.8 GHz ,Cortex A17 / Dual Cortex-A72 big core+quad Cortex-A53 small core 64-bit CPU
	Operating System	Android 5.1/ 7.1
	Graphics	Integrated GPU ARM Mali-T764 / Quad core Arm mali-T860Mp4
	Memory	2G
Android version	Storage	16G
	RJ45 LAN interface	100M/1000M
	USB	4 USB 2.0 / 2 USB 3.0
	Player Software	content management system
	Audio support	Intergrated
	Output interface	HDMI *1
	Motherboard	H110
	CPU	Intel i5 ≥6th generation(i3 & i7 for option)
	Operating System	Windows 10 Pro
	Graphics	Intel HD Graphics
	Memory	4G RAM
Windows version	Storage	120G SSD
11	RJ45 LAN interface	100M/1000M
	USB	USB*1, SD card*1
	Player Software	To be specified by the client
	Audio support	Intergrated
	Output interface	HDMI*1, VGA*1

ITEM	DETAILS	TECHNICAL PARAMETERS
	Motherboard	SX-260
	CPU	HD video decoding chip
	Operating System	uCOS
	Memory	DDR 128MB
Standalone	Storage	NAND Flash 16G
version	Video format	MPEG1, MPEG2, MPEG4, H264, WMV
	USB	USB*1, SD card*1
	Input interface	HDMI*1,USB*1
	USB	none
Driver board version	Audio support	PC audio, earphone input
board version	input interface	HDMI*1,VGA*1,DVI*1 / HDMI*1,DVI*1,VGA*1,DP*1
	Operating temperature	0° C \sim +40 $^{\circ}$ C
Application	Storage temperature	-20°C ∼ +60°C
Environment	Humidity	10-80% RH Non-condensing
	WiFi access point	Yes
Options	Cellular router	3G or 4G
Options	Touchscreen	capacitive touch
	LED backlit company logo	Yes







REMOTE TECHNICAL SUPPORT

