


75 INCH

OUTDOOR FLOOR STAND KIOSK



PRD F150P-75 INCH
OUTDOOR FLOOR STAND KIOSK

• Tel: +86 0755 21009715

• Email: lcdsales@univiewlcd.com

• www.univiewlcd.com

HEADQUARTER

• Add: Floor 1-3, Bldg 9, Delta Science and Technology Park, Dalang Street, Longhua District Shenzhen, P.R. China

EU OFFICE

• Add.: Verdunplein 9, 5627 SZ Eindhoven, the Netherland


U.S OFFICE

• Add.: 7350 Eastgate Rd #100, Henderson, NV 89011, Las Vegas, the United States

75 INCH

OUTDOOR FLOOR STAND KIOSK

Length unit (mm)



PRD F150P-75 INCH
OUTDOOR FLOOR STAND KIOSK

• Tel: +86 0755 21009715

• Email: lcdsales@univiewlcd.com

• www.univiewlcd.com

HEADQUARTER

• Add: Floor 1-3, Bldg 9, Delta Science and Technology Park, Dalang Street, Longhua District Shenzhen, P.R. China

EU OFFICE

• Add.: Verdunplein 9, 5627 SZ Eindhoven, the Netherlands

U.S OFFICE

• Add.: 7350 Eastgate Rd #100, Henderson, NV 89011, Las Vegas, the United States

TECHNICAL DATA

HARDWARE DATA

Product model	F150P
Panel size	75"
Resolution	3840*2160
Viewing angle	178 °
Display colors	16.7 M
Brightness	3000 cd/m2
Contrast ratio	100000:1

Respond time	8ms
Display model	9:16
Touch type	Non -touch
Shell material	Zinc Galvanized Plate
Glass	AR Glass
IP grade	IP 55

OPERATE SYSTEM(OPTIONAL)

Solutions	Android11.0 RK3399
Ram	4GB RAM
Flash	32GB ROM
Internet setting	wifi/RJ - 45
Internal interfaces	HDMI,VGA,USB

POWER CONSUMPTION

Speaker	2X8 Ω 10W
Switch power	AC/100 - 240V 50/60Hz
Power consumption	≈ 870W

APPLICATION ENVIRONMENT

Application	Outdoor
Operating temperature	-20°C ~ +50 °C
Storage temperature	-10 °C ~ +60 °C

HEADQUARTER

• Add: Floor 1-3, Bldg 9, Delta Science and Technology Park, Dalang Street, Longhua District Shenzhen, P.R. China

EU OFFICE

• Add.: Verdunplein 9, 5627 SZ Eindhoven, the Netherland

U.S OFFICE

• Add.: 7350 Eastgate Rd #100, Henderson, NV 89011, Las Vegas, the United States